

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): A leg water-spouting device comprising;
a foot-front water spouting section for spouting water toward a foot-front side of a user and,
a water-spouting section direction moving mechanism for moving the direction of water spouting of the foot-front water spouting section along the longitudinal direction of the foot.

Claim 2 (Original): A leg water-spouting device comprising;
a container body for accommodating the foot of a user,
a foot-front water spouting section for spouting water toward a foot-front side of a user and,
a water-spouting section direction moving mechanism for moving the direction of water spouting of the foot-front water-spouting section along the longitudinal direction of the foot.

Claim 3 (Currently Amended): The leg water-spouting device ~~in~~ of claim 1 ~~or~~ 2, wherein the foot-front water spouting section has a plurality of spouts arranged side by side in the foot width direction in use for each of the right and left foot.

Claim 4 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 3~~ of claim 1, wherein a path of movement of a water arriving point receiving the ~~above~~ spouting water by the water-spouting section direction moving mechanism includes a toe.

Claim 5 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 4~~ of claim 4, wherein the foot-front water spouting section changes pressure of spouting water received by the water arriving point according to the position of the moving water arriving point.

Claim 6 (Currently Amended): The leg water-spouting device ~~in claim 4 or 5~~ of claim 5, wherein the foot-front water spouting section makes the pressure of spouting water received by the water arriving point the highest when the water arriving point is at the toe.

Claim 7 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 6~~ of claim 4, wherein the foot-front water spouting section changes a water spouting amount according to ~~the~~ a position of the moving water arriving point.

Claim 8 (Currently Amended): The leg water-spouting device ~~in~~ of claim 7, wherein the foot-front water spouting section spouts the largest flow rate of water when the water arriving point is located at the toe.

Claim 9 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 8~~ of claim 1, wherein the water-spouting section direction moving mechanism moves the foot-front water spouting section according to movement of ~~the~~ a water arriving point as an angle of arriving water is changed with respect to ~~the~~ a skin surface of the user.

Claim 10 (Currently Amended): The leg water-spouting device ~~in~~ of claim 9, wherein the water-spouting section direction moving mechanism comprises a rotary shaft that

pivotaly supports either of rotation or rotational movement of the foot-front water spouting section as the water arriving point is moved along the longitudinal direction of the foot.

Claim 11 (Currently Amended): The leg water-spouting device ~~in~~ of claim 10, wherein the rotary shaft is pivotaly supported immediately above the position of the root of the fifth toe or closer to the toe tip side from that in the container body in use.

Claim 12 (Currently Amended): The leg water-spouting device ~~in any of claim 1 to 4 and 9 to 11 of claim 4,~~ wherein the movement of the water arriving point by the water-spouting section direction moving mechanism has a period when the water spouting from the foot-front water spouting section does not hit the toe in ~~the~~ a cycle of the movement.

Claim 13 (Currently Amended): The leg water-spouting device ~~in any of claims 1, 2, 3, 5, 7, 8, 9 and 11 of claim 1,~~ wherein the foot-front water-spouting section reciprocates ~~the~~ a water arriving point along the longitudinal direction of the foot by the water-spouting section direction moving mechanism while continuously spouting water.

Claim 14 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 13, wherein the leg water spouting device further comprises a~~ of claim 1, further comprising a sole water spouting section for spouting water toward ~~the~~ a sole.

Claim 15 (Currently Amended): The leg water-spouting device ~~in~~ of claim 14, wherein at least one of ~~the~~ a water spouting amount and ~~the~~ a water spouting pressure of the sole water spouting section is changed cyclically.

Claim 16 (Currently Amended): The leg water-spouting device ~~in any of claims 1 to 15~~ of claim 1, wherein the foot-front water spouting section cyclically oscillates the water spouting direction.

Claim 17 (Currently Amended): The leg water-spouting device ~~in any of claims 14 to 16~~ of claim 14, wherein the sole water spouting section cyclically oscillates the water spouting direction.